

**Materialprüfungsamt Nordrhein-Westfalen**

Prüfen · Überwachen · Zertifizieren

**Certificate of conformity of the factory production control****0432-CPR-00214-10 (EN)**

Version 05

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

**Concentric air– flue– system chimneys**

with flue liners made of aluminium alloy: EN AW-4047A, EN AW-1200A, EN AW-6060

**“ANTKALIP YATAY SET AL CE”**

(for a detailed product description see annex 1 of this certificate)

placed on the market under the name or trade mark of

**ANT KALIP SAN. ve TİC. A.Ş.**

Birlik Organize Sanayi Bölgesi Tem Yan yol  
1. Cadde No:29; Posta K. 34953 -  
Tuzla/Istanbul / Turkey

and produced in the manufacturing plant(s)

**ANT KALIP SAN. ve TİC. A.Ş.**

Birlik Organize Sanayi Bölgesi Tem Yan yol  
1. Cadde No:29; Posta K. 34953 -  
Tuzla/Istanbul / Turkey

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

**EN 1856-1:2009**under **system 2+** are applied and that**the factory production control is assessed to be in conformity  
with the applicable requirements**

This certificate was first issued on 01.01.2016 and will remain valid until 31.12.2021 as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Dortmund, 10.08.2020

by order

  
Dipl.-Ing. Hönig

Head of Certification Body (Dept. 21)



This Certificate consists of 1 page and 1 annex(es).

This Certificate replaces the Certificate no. 0432-CPR-00214-10  
dated 29.01.2018, Version 04.The original of this document was issued in German language.  
In case of doubt only the German version is valid.

# Materialprüfungsamt Nordrhein-Westfalen

Prüfen · Überwachen · Zertifizieren

Vom Hersteller erklärte Eigenschaften für / *Declared conditions by the manufacturer for:*

	Art der Abgasanlage/ Leitung <i>type of chimney/ flue pipe</i>	Harmonisierte Norm <i>standard</i>	Produktbeschreibung <i>Product description</i>
01	"ANTKALIP YATAY SET AL CE" Konzentrisches Luft-Abgas-System, / concentric air- flue- system chimney;  Innenrohr / EN AW-4047A; <i>internal pipe:</i> EN AW 1200A; EN AW-6060 Wanddicke / 1,00; 1,50; 2,00 mm (-10 %) <i>wall thickness:</i> Außenrohr / Aluminium; verzinkter Stahl <i>external pipe:</i> <i>aluminum, galvanized steel</i>	EN 1856-1	T250 – P1 – D – Vm – L10/11/13XXX – O(00) T200 – P1 – D – Vm – L10/11/13XXX – O(00) XXX: 100;150;200  DN 60/100  Abstand zu brennbaren Bauteilen/ <i>distance to combustibles:</i> O: 00 mm

2. Ausfertigung / *second copy*